



Product Datasheet

Product Name	Agouti-Related Protein Human Recombinant
Cata No	CB500731
Source	<i>Escherichia Coli.</i>
Synonyms	ART, AGRT, ASIP2, MGC118963, AGRP.

Description

Agouti-related protein is an endogenous antagonist of hypothalamic alpha-melanocortin receptors MC3R and MC4R with potent orexigenic activity. Although a complete deletion of the AGRP gene does not produce any significant metabolic phenotypes, reduction in AGRP expression by RNA interference is associated with increased metabolic rate along with reduced weight gain. In hypothalamus, it is produced by neurons in the medial portion of arcuate nucleus, which produce also the potent orexigenic peptide Neuropeptide Y (NP-Y). Another site of central AGRP production is the hypothalamic nucleus. AGRP encompasses 132 amino acid residues and its alpha-melanocortin inhibiting activity results in a 34 amino acid cystine knot domain within the C-terminal (87-132) portion of the protein. Both AGRP and NP-Y expression was shown to be suppressed by leptin. Central administration of AGRP induces hyperphagia and increased gain in body weight in rodents, but may also exert metabolic effects even when hyperphagia is prevented. In the absence of hyperphagia, intracerebralventricular administration of AGRP caused significant increases in plasma leptin and insulin concentrations (twofold and 1.5-fold, respectively) and fat pad mass. In the periphery, AGRP mRNA was found in adrenal glands, lung, testis, ovary, skeletal muscle and adipose tissue in humans or rodents. In the adrenals, it was shown that AGRP antagonizes glucocorticoid production mediated by MC4R. AGRP could then

modulate locally the functions of some peripheral tissues such as adrenals.

In human and rat serum, detectable levels of AGRP-like activity were reported in the lower picogram range. The serum AGRP levels were elevated in obese humans compared to lean controls and increased with fasting in rats.

The Human Agouti-related protein is created as a recombinant protein with N-terminal fusion of His Tag.

The Human Agouti-related protein His-Tagged Fusion Protein, produced in *E. coli*, is 14.4 kDa (calculated) protein containing 112 amino acid residues of the human AGRP and 16 additional amino acid residues - His Tag, thrombin cleavage site (highlighted).

The AGRP is purified by proprietary chromatographic techniques.

MKHHHHHHHM LVPRGSAQMG LAPMEGIRRP
DQALLPELPG LGLRAPLKKT TAEQAEDLL
QEAQALAEVL DLQDREPRSS RRCVRLHESC
LGQQVPCCDP CATCYCRFFN AFCYCRKLG
AMNPCSRT

Physical Appearance

Sterile Filtered White lyophilized (freeze-dried) powder.

Purity

Purity of Agouti-related protein recombinant human is >95 % as determined by SDS-PAGE.

*** For Non-Clinical Research Use Only ***



California Bioscience

83103 Avenue 48, Ste.1B #204
Coachella, CA 92236 USA
Phone : +1.6268339877
Email : info@cali-bio.com

Formulation

AGRP protein was lyophilized from 0.5 mg/ml in 5mM TRIS, 25mM NaCl, pH 7.5.

Stability

Store lyophilized AGRP protein at -20°C. Aliquot the product after reconstitution to **avoid repeated freezing/thawing cycles**. Reconstituted protein can be stored at 4°C for a limited period of time; it does not show any change after two weeks at 4°C.

The lyophilized protein remains stable until the expiry date when stored at -20°C.

Product Data sheet

Applications

Western blotting, ELISA.

*** For Non-Clinical Research Use Only ***